L Number	Hits	Search Text	DB	Time stamp
_	5	"6263337"	USPAT;	2003/01/14 09:50
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	0000/01/14 10 16
-	2	("6263337").PN.	USPAT;	2003/01/14 10:16
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	0000/01/14 15 05
-	] 1	"5884305".PN.	USPAT	2003/01/14 15:35
j -	1	"5832482".PN.	USPAT	2003/01/14 09:52
-	2	("6374251").PN.	USPAT;	2003/01/14 10:50
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		(HCA40C10H) 797	IBM_TDB	2002/01/14 10:32
-	1	("6449612").PN.	USPAT;	2003/01/14 10:32
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
·	_	#C003000# DV	IBM_TDB	2002/01/14 10:42
-	1	"6003029".PN.	USPAT	2003/01/14 10:43 2003/01/14 10:50
-	844	(707/6).ccls.	USPAT; US-PGPUB;	2003/01/14 10:50
			EPO; JPO; DERWENT;	
			IBM TDB	
	570	(707/7).ccls.	USPAT;	2003/01/14 10:51
-	3,0	(70777).0013.	US-PGPUB;	2003, 01, 14 10.31
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	1005	(707/101).ccls.	USPAT;	2003/01/14 10:51
	1		US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	22	((707/6).ccls.) and ((707/7).ccls.) and	USPAT;	2003/01/14 10:54
		((707/101).ccls.)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	10	cluster\$ and database and record\$ and	USPAT;	2003/01/14 11:11
		attribute\$ and "rapid access memory"	US-PGPUB;	
			EPO; JPO;	
1			DERWENT;	
			IBM_TDB	
-	30		USPAT;	2003/01/14 11:21
		attribute\$ and discrete and (order with	US-PGPUB;	
		value) and enumerate\$	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	223	"gaussian mixture"	USPAT;	2003/01/14 11:21
			US-PGPUB;	
	1		EPO; JPO;	
			DERWENT;	
	105		IBM_TDB	2002/01/14 11:00
-	107	"gaussian mixture" and covariance\$	USPAT;	2003/01/14 11:22
			US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
	45	("gaugeian mixture" and commission	USPAT;	2003/01/14 11:35
-	45	("gaussian mixture" and covariance\$) and statistic	US-PGPUB;	2003/01/14 11:35
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
L	l	L	1	1

`\$;				
-	14	cluster\$ and discrete\$ and attribut\$ and database and "access memory" and table and enumerate\$ and matrix and updat\$ and summar\$	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/01/14 11:
_	2		IBM_TDB USPAT;	2003/01/14 13:
			US-PGPUB; EPO; JPO; DERWENT; IBM TDB	
-	13962	model and statistics	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/01/14 13:
_	13	(model and statistics) and discrete and continous and database and record	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/01/14 13:
-	6313	discrete with field	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/01/14 13:
_	0	((model and statistics) and (discrete and continous) and database and record) and (discrete with field)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/01/14 13:
-	2	("5909501").PN.	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/01/14 13:
-	2	("5970482").PN.	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/01/14 13:
-	1	("6480194").PN.	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/01/14 13:
-	13	(model and statistics) and (discrete and continous) and database and record	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/01/14 13:
-	7 2		IBM_TDB USPAT; USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/01/14 15: 2003/01/14 15:
_	2717	enumerate\$ and discrete and continuous	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/01/16 08:
-	246	(enumerate\$ and discrete and continuous) and database and model\$ and record	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/01/16 08:
-	25	((enumerate\$ and discrete and continuous) and database and model\$ and record) and RAM and cluster\$ and updat\$	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/01/16 08:

_	6	(((enumerate\$ and discrete and continuous)	USPAT;	2003/01/16 08:47
		and database and model\$ and record) and	US-PGPUB;	
		RAM and cluster\$ and updat\$) and mining	EPO; JPO;	
		•	DERWENT;	
			IBM_TDB	



L Number	Hits	Search Text	DB	Time stamp
1	1473	(707/102).ccls.	USPAT;	2003/01/21 15:18
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
2	6	((707/102).ccls.) and enumerate\$ and	USPAT;	2003/01/21 15:20
		discrete and continuous	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	





> home > about > feedback > login **US Patent & Trademark Office** 

## Search Results

## **Nothing Found**

Your search for

[table<AND>((probability<AND>((read<AND>((model<AND>((matrix<AND>(( memory<AND>((cluster and update <AND>((database and statistic and record return any results.

You can try to rerun it within the Portal.

You may revise it and try your search again below or click advanced search for more options.

```
table<AND>((probability<AND>((read<
memory<AND>((cluster and update
<AND>((database and statistic and
record and enumerate<AND>((discrete
and continuous) )) )) )) )) ))
)))
```

[Advanced Search] [Search

## Help/Tips]



Complete Search Help and Tips

## The following characters have specialized meaning:

Special Characters	Description
,()[	These characters end a text token.
i —	These characters end a text token because they signify the start of a field operator. (! is special: != ends a token.)
	These characters signify the start of a delimited token. These are terminated by the end character associated with the start character.